



### Colour

### Protocol

### Network




Smart UK Socket 13A  
USB + Type C (PD 20w)

iPhone grade glass frame with  
4 colours selection, with  
durable plastics

Scratch and fingerprint  
resistance surface

Type C charging port


Onboard on-off button



146mm 2 x 13A Smart UK Sockets  
USB + Type C (PD 20w)



### PHOTO




Smart 13A UK Socket  
+ 1xUSB + 1x20W Type-C


### SPECIFICATION

Rated Voltage	AC 110-250V/50-60Hz
Power mode	Live Neutral wire power supply
Max Amp & Power	13A, 2500W LED
Charger	USB, Type-C
Charger Power	DC 5-12V 20W Max
Socket	UK 3 Pin
Standard	UK square back
Dimensions	86x86mm
Approved location	Dry locations
Work temperature	-15°C ~ +45°C

### PRODUCT DIMENSION



### PHOTO



146mm 2 x 13A Smart Sockets  
with 2 Type-C + 2 x USB

### SPECIFICATION

Rated Voltage	AC 110-250V/50-60Hz
Power mode	Live Neutral wire power supply
Max Amp & Power	13A, 2500W LED
Charger	USB, Type-C
Charger Power	DC 5-12V 20W Max
Socket	UK 3 Pin
Standard	120mm screw distance
Dimensions	86x86mm
Approved location	Dry locations
Work temperature	-15°C ~ +45°C

### PRODUCT DIMENSION

